Computing at CERN in the LHC era

Sverre Jarp CERN openlab, IT Dept



"where the Web was born"

ENST visit



Briefly about CERN




- CERN is the world's largest particle physics centre
- Particle physics is about:
 - elementary particles, the constituents from which all matter in the Universe is made
 - fundamental forces which hold matter together
- Particles physics requires:
 - special tools to create and study new particles






The special tools for particle physics are:

- ACCELERATORS, huge machines (inside a complex underground structure) - able to accelerate particles to very high energies before colliding them into other particles
- **DETECTORS**, massive instruments which register the particles produced when the accelerated particles collide
- **COMPUTING**, to reconstruct the collisions, to extract the physics data and to perform the analysis





CERN in Numbers

- 2500 Staff
- 6500 Users
- 500 Fellows and Associates
- 80 Nationalities
- 500 Universities
- Budget ~1000 MCHF/year (~650 M€year)



20 Member States: Austria, Belgium, Bulgaria, the Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Italy, Netherlands, Norway, Poland, Portugal, Slovakia, Spain, Sweden, Switzerland and the United Kingdom.

8 Observers:

India, Israel, Japan, the Russian Federation, USA, Turkey, the European Commission and UNESCO



at an energy of 14 TeV

What is LHC?


LHC will be switched on in 2007

Four experiments, with detectors as 'big as cathedrals': ALICE ATLAS CMS LHCb

- Using the latest super-conducting technologies, it will operate at about – 270°C, just above the absolute zero of temperature
- With its 27 km circumference, the accelerator will be the largest superconducting installation in the world.

It is a particle accelerator that will collide beams of protons


Its two proton beams will interact 40 million times per second







ATLAS construction



28 July 2006






PHYSICS COMPUTING



High Energy Physics Computing Characteristics

- Independent events (collisions of particles)
 - trivial (read: pleasant) parallel processing
- Bulk of the data is read-only
 - versions rather than updates
- Meta-data in databases linking to "flat" files
- Compute power measured in **SPECint** (rather than SPECfp)
 - But good floating-point is important
- Very large aggregate requirements:
 - computation, data, input/output
- Chaotic workload
 - research environment physics extracted by iterative analysis, collaborating groups of physicists
 - \rightarrow Unpredictable \rightarrow unlimited demand




The Computing Environment


High-throughput computing
(based on reliable
"commodity"
technology)


CERN openia


 Around 3000 (dual-processor Xeon) PCs with "Scientific Linux"













LHC Computing Grid



Grids serving science

- Physics/Astronomy (data from different kinds of research instruments)
- Medical/Healthcare (imaging, diagnosis and treatment)
- Bioinformatics (study of the human genome and proteome to understand genetic diseases)
- Nanotechnology (design of new materials from the molecular scale)
- Engineering (design optimization, simulation, failure analysis and remote Instrument access and control)
- Natural Resources and the Environment (weather forecasting, earth observation, modeling and prediction of complex systems: river floods and earthquake simulation)








Recent example: EGEE Attacks Avian Flu

- EGEE used to analyse 300,000 possible potential drug compounds against bird flu virus, H5N1.
- 2000 computers at 60 computer centres in Europe, Russia, Asia and Middle East ran during four weeks in April - the equivalent of 150 years on a single computer.
- Potential drug compounds now being identified and ranked.



Neuraminidase, one of the two major surface proteins of influenza viruses, facilitating the release of virions from infected cells. Image Courtesy Ying-Ta Wu, AcademiaSinica.



The EGEE project

- EGEE
 - 1 April 2004 31 March 2006
 - 71 partners in 27 countries, federated in regional Grids

• EGEE-II

- 1 April 2006 31 March 2008
- 91 partners in 32 countries
- 13 Federations

Objectives

- Large-scale, production-quality infrastructure for e-Science
- Attracting new resources and users from industry as well as science
- Improving and maintaining "gLite" Grid middleware





EGEE – User Services


- Infrastructure operation
 - Currently includes >200 sites across 39 countries
 - Continuous monitoring of grid services & automated -** configuration/management


http://gridportal.hep.ph.ic.ac.uk/rtm/launch_frame.html

- Middleware
 - Production quality middleware distributed under business friendly open source licence
- User Support
 - Training
 - Expertise in grid-enabling applications
 - Online helpdesk
 - Networking events (User Forum, Conferences etc.)
- Interoperability
 - Expanding geographical reach and interoperability with related infrastructures



Externally funded projects








Conclusions

- CERN is busily preparing for the arrival of LHC data in one year's time!
 - New and exciting technologies will be used to cope with the data
 - 10 Gb networking
 - Terabyte disk and tape technology
 - 64-bit processors with multicore and virtualization capabilities
 - Our Grid offers seamless integration, all around the globe
 - Together with our partners (EU, industrial partners, other Physics Labs, other sciences) we expect to continue to come up with interesting proofs-of-concept and technological spin-off !
- High Throughput Computing is "on the move" !









Data Handling at Tier0



Multiple Data Activities



- 2. data transfers from the T0 buffer to the reconstruction farm and derived data back to the T0 buffer
- 3 data migration from the T0 buffer to the tape system
- 4 data export from the T0 buffer to the sister Labs


Each of the flows has its own characteristics and is different for each of the 4 experiments

multi-dimensional 'impedance' matching problem

	Reconstruction	
0(15000) I/O stream	ns
n D(20) I/O stream Online	$\xrightarrow{\text{ms}} \bigcup_{i=1}^{n} \bigcup_{i=1}$	(20) I/O s Tape
(↓ D(500) I/O stream	IS
	Export	

	Online [MB/s]	Tape [MB/s]	Reconstr. [MB/s]	Export [MB/s]	Total [MB/s]
ALICE HI	1250	1250	300	300	~ 3000 HI
ATLAS	320	440	540	780	~ 2100
CMS	225	270	270	315	~ 1100
LHCb	60	40	35	35	~170





Dedicated resources for the Data Recording Challenges (CPU, disk, tape, Castor2)
'logical' separation between DC setup and production systems

CERN openial

for DataGrid application

ENST visit